




CONTEC AIRFLOW PROJECTS PVT. LTD.

ISO 9001:2008 Certified Company

**The most
powerful
Air and Surface
Purification
Technology ever
discovered**



**Active Pure Technology™
that removes**

**Smoke, Odors, Bacteria, Airborne and surfaces
contaminants**




**Technology based on process found in nature with the same
power of sunlight, rain shower and lightening created indoors**

How does Active-Pure Technology work?



The Photocatalytic Process



» ActivePure technology sends out an **active army of safe and natural ions** as well as pollutant - controlling odor reducing and oxygen-rich '**scrubbers**' to make your indoor safer and healthier.


» ActivePure Technology utilizes a proprietary **Hydrophilic photo Catalytic coating**, consisting of non-nano **titanium dioxide** with a proprietary combination of additional transition elements to enhance efficiency.

» Activated by a specific wavelength of ultraviolet light, oxygen and humidity are extracted from the air to **create a host of powerful oxidizers** that target air and surface pollution.

» These oxidizers are extremely effective at **destroying bacteria, volatile organic compounds (VOCs)** and the other environmental contaminants and most significantly, they are not harmful to Humans, Pet and Plants. They are completely safe for Indoor use.



Before Fresh Air



After 8 hours with Fresh Air Technology

Before and after laboratory tests showing reductions of airborne contaminants with the FreshAir Surround.



FRESH AIR CUBE

THINK OUTSIDE, INSIDE



FRESH AIR SURROUND

NOT YOUR AVERAGE PURIFIER



FRESH AIR MOBILE

ANYWHERE EVERYWHERE

FreshAir Cube, Fresh air surround, Fresh air Mobile brings the science and safety of nature indoors. Natural, odor-eliminating, pollutant reducing processes found in sunlight and thunderstorms are recreated in the home.

PRODUCT FEATURES

All products contains advanced technology to make breathing easier, cleaner and healthier. This convenient, portable units provides the cleanest, freshest air possible within small, low ventilated areas. Uses **super oxide ions** and **hydro peroxides** created by **ActivePure Technology** to **remove contaminants**. **Negatively charged ions** remove **microscopic particles** from the air that will reduce harmful contaminants and pollutants. Features a **high intensity UVC light** that makes use of the same oxidation and ionizing properties of light as naturally occurring sunlight.

PRODUCT BENEFITS

- Removes airborne contaminants and eliminates symptoms such as **coughing, sneezing and itchy or watery eyes.**
- **Freshens air and removes odors** in otherwise stale-prone environments.
- Removes **dirt and dust** form the air to make cleaning easier.

SPECIFICATION

Model	Fresh Air cube	Fresh Air surround	Fresh Air Mobile
Technology	Needlepoint Ionization Active Pure	Needlepoint Ionization Active Pure	Needlepoint Ionization Active Pure
Power Usage	100-240 VAC power adopter 21 watts power consumption	100-240 VAC power adopter 10 watts power consumption	100-240 VAC power adopter 48 watts power consumption
Area Coverage	upto 1500 sqft	from 250 sqft to 300 sqft	upto 500 sqft
Size	3.625"wide x 1.0" high x 6" deep (w/o base)	12"wide x 1.0" high x 12" deep (w/o base)	3.625"wide x 1.0" high x 6" deep (w/o base)
Weight	3 lbs	10.2 lbs	0.5 lbs
Warranty	1 year	3 year	1 year




ACTIVTEK INDUCT-500/750/2000/5000/10000

» The ActivTek Induct 500,750, 2000, 5000 and 10000 are specially designed to install in the ducts of the HVAC System & Induct 500 for split Air conditioning systems.

» It substantially reduces odour, visible smoke in the air, and microbial populations on surfaces, utilizing the patent pending. ActivePure technology. ActivePure consists of a special UV light and photo catalyst target, creating an Advanced Oxidation Process containing several friendly oxidizers.



Typical view of an installation within the duct.



FEATURES

- » Duct or plenum installed natural air system.
- » Discreet or concealed installation.
- » 120/220 volt optional installation.
- » UV bulb monitoring indicator included.
- » Low maintenance-no cleaning required.

INSTALLATION DETAILS

- » May be wired into 120/220 volt connections.
- » Four mounting holes in chassis provide swift installation.

Model No.	INDUCT 750	INDUCT 2000	INDUCT 5000	INDUCT 10000
Electrical	100/277 VAC,50/60Hz.17A 17watts	100/277 VAC,50/60Hz.17A 17watts	120-240 VAC,50/60Hz 20 watts	120-240 VAC,50/60Hz 37 watts
Mechanical	UV bulb monitoring system installed safety interlock switch installed	UV bulb monitoring system installed safety interlock switch installed	UV bulb monitoring system installed safety interlock switch installed	UV bulb monitoring system installed safety interlock switch installed
Dimensions	9.62" H x 9.62" W x 7.48" D 24cm H x 24cm W x 19cm D	9.62" H x 9.62" W x 7.48" D 24cm H x 24cm W x 19cm D	9.62" H x 9.62" W x 17"D 23cm H x 23cm W x 43cm D	11" H x 11" W x 17"D 28cm H x 28cm W x 43.2cm D
Weight	3 pounds/ 1.2 Kg	3 pounds/ 1.2 Kg	4 pounds/ 1.8 Kg	8 pounds/ 3.6 Kg
coverage	upto 750 Sq.ft	upto 2000 Sq.ft	upto 5000 Sq.ft	upto 10000 Sq.ft
AHU capacity	1500 CFM	4000 CFM	10000 CFM	20000 CFM
Max temp	< 200°F	< 200°F	< 200°F	< 200°F

Mittal Industrial Estate,138, Bldg. No. 6, Andheri - Kurla Rd., Andheri (East), Mumbai - 400 059

Mobile : 91-93202 55124, Tel. : 2859 8231/39, 2852 8044, 7666002771

Website : www.contecair.com Email : mks1_contec@yahoo.co.in, info@contecair.com, mks1_contec@rediffmail.com